



SANITARY FITTINGS QUINCAILLERIES SANITAIRES



CATALOG 2024-2025 CATALOGUE

WWW.EQUINOXSTAINLESS.COM

3930 ALFRED-LALIBERTÉ, BOISBRIAND QUEBEC J7H 1P8, CANADA

EQUINOX^{inc.}

Equinox is a leader in the stainless steel manufactured product industry, based in Boisbriand. With over thirty years of experience, we specialize in equipments used by the pharmaceutical, food and chemical industries. With our wide line of fittings and processing equipments, we are able to offer you a complete service including engineering, technical support, custom made products, processing line design and installation. Our mission is to give quality services and fulfill customers' requirements and needs to the best of our abilities.

WWW.EQUINOXSTAINLESS.COM




INDEX


Welded Fittings	3-14
Clamped Fittings	15-24
Ferrules	21-23
End Caps	24
Hose Adaptors	26
Adaptors NPT to Clamp	27-28
Clamp Heavy Duty	29
Valves and Actuators	30-42
Diaphragm Valves	36
Ball Valves Quick Dismountable	38
Ball valves 3-pieces	39
Overflow Valves	40
Cleaning Balls	43-46
Filters and Strainers	47-49
Rebreathers (Vent)	50
Sight Glasses	51
Pressure Gauges	52
Tube Hanger	53
Manholes	54-56
Floor Drains	57
Gaskets	58-65
Cam Lock Adaptors	66
Pipe Fittings	67
Trolleys	68
Barrels Sealed	69
Processing Equipments	72



WELDED ELBOW

**WELDED ELBOW 45° 2KSX**

SIZE	L	D	R
½"	0.466	½	¾
¾"	0.466	¾	1 ⅛
1"	0.625	1	1 ½
1 ½"	0.937	1 ½	2 ¼
2"	1.251	2	3
2 ½"	1.562	2 ½	3 ¾
3"	1.875	3	4 ½
4"	2.500	4	6
6"	3.750	6	9

**WELDED ELBOW 90° 2SX**

SIZE	L	D	R
½"	0.750	½	¾
¾"	1.125	¾	1 ⅛
1"	1.500	1	1 ½
1 ½"	2.250	1 ½	2 ¼
2"	3.000	2	3
2 ½"	3.750	2 ½	3 ¾
3"	4.500	3	4 ½
4"	6.000	4	6
6"	9.000	6	9

The dimensions listed in the tables may differ from reality


Ordering information

↑	
45° 90°	1011031 1011028
ELBOW TYPE	

↑	
SS304 SS316	4 6
MATERIAL	

↑	
½"	050
¾"	075
1"	100
1-½"	150
2"	200
2-½"	250
3"	300
4"	400
6"	600
8"	800
DIMENSION	


WELDED ELBOW



WELDED ELBOW 180° 2WU

SIZE	L	D	H
1"	3	1	1 ½
1 ½"	4 ½	1 ½	2 ¼
2"	6	2	3
2 ½"	7 ½	2 ½	3 ¾
3"	9	3	4 ½
4"	12	4	6
6"	18	6	9

The dimensions listed in the tables may differ from reality



ELBOW 90° LONG TANGENT

SIZE	L	D	R
1"	2.08	1	1 ½
1 ½"	2.96	1 ½	2 ¼
2"	4.10	2	3
2 ½"	5.18	2 ½	3 ¾
3"	6.36	3	4 ½
4"	8.30	4	6


Ordering information

180°	1011034
90°	1011029
ELBOW TYPE	

SS304	4
SS316	6
MATERIAL	

½"	050
¾"	075
1"	100
1-½"	150
2"	200
2-½"	250
3"	300
4"	400
6"	600
8"	800
DIMENSION	

WELDED TEE WELDED CROSS




**WELDED TEE
SHORT 7WWW**

SIZE	L
1/2"	0.750
3/4"	1.125
1"	1.125
1 1/2"	1.656
2"	2.063
2 1/2"	2.344
3"	2.594
4"	3.438

**WELDED TEE
LONG 7W**

SIZE	L
1/2"	1.875
3/4"	1.875
1"	1.875
1 1/2"	2.250
2"	3.000
2 1/2"	3.000
3"	3.250
4"	3.875



**WELDED CROSS
SHORT 9WWW**

SIZE	L
1/2"	0.750
3/4"	1.125
1"	1.125
1 1/2"	1.656
2"	2.063
2 1/2"	2.344
3"	2.594
4"	3.438

**WELDED CROSS
LONG 9W**

SIZE	L
1/2"	1.875
3/4"	1.875
1"	1.875
1 1/2"	2.250
2"	3.000
2 1/2"	3.000
3"	3.250
4"	3.875

Ordering information




↑	
TEE	1011035
CROSS	1011039
TEE LONG	1011036
CROSS LONG	1011038
TYPE	

↑	
SS304	4
SS316	6
MATERIAL	

↑	
1/2"	050
3/4"	075
1"	100
1-1/2"	150
2"	200
2-1/2"	250
3"	300
4"	400
6"	600
DIMENSION	

The dimensions listed in the tables may differ from reality

WELDED REDUCER




CONCENTRIC REDUCER 31W
EXCENTRIC REDUCER 32W

SIZE	A	B	BA
0.75"/0.5"	1	¾	½
1.0"/0.5"	1	1	½
1.0"/0.75"	1	1	¾
1.5"/0.5"	2	1 ½	½
1.5"/0.75"	2	1 ½	¾
1.5"/1.0"	2	1 ½	1
2.0"/0.75"	5	2	¾
2.0"/1.0"	4	2	1
2.0"/1.5"	2	2	1 ½
2.5"/1.0"	6	2 ½	1
2.5"/1.5"	4	2 ½	1 ½
2.5"/2.0"	2	2 ½	2
3.0"/1.5"	6	3	1 ½
3.0"/2.0"	4	3	2
3.0"/2.5"	2	3	2 ½
4.0"/1.5"	10	4	1 ½
4.0"/2.0"	8	4	2
4.0"/2.5"	6	4	2 ½
4.0"/3.0"	4	4	3
6.0"/3.0"	5.5	6	3
6.0"/4.0"	5.5	6	4
8.0"/4.0"	6	8	4
8.0"/6.0"	4	8	6


Ordering information

WELDED LATERAL-Y-TEE WELDED TRUE-Y-TEE



WELDED TEE Y LATERAL 28WA

SIZE	A	B	C
½"	6.000	5.000	1.000
¾"	6.000	5.000	1.000
1"	6.000	5.000	1.000
1 ½"	7.375	6.188	1.187
2"	8.750	7.125	1.625
2 ½"	10.000	8.500	1.500
3"	10.750	8.875	1.875
4"	12.812	10.750	2.062
6"			



WELDED TEE Y TRUE 28WB

SIZE	A	B
½"	1.875"	2.000"
¾"	1.875"	2.000"
1"	2.763"	3.000"
1 ½"	2.672"	3.000"
2"	3.612"	4.000"
2 ½"	4.440"	5.000"
3"	5.350"	6.000"
4"	7.156"	8.000"
6"		

Ordering information


LATERAL TRUE		1011043 1011045
Y TYPE		

SS304 SS316		4 6
MATERIAL		

½" ¾" 1" 1-½" 2" 2-½" 3" 4" 6"		050 075 100 150 200 250 300 400 600
DIMENSION		

The dimensions listed in the tables may differ from reality

WELDED CURVED-Y-TEE



WELDED TEE Y CURVE


SIZE	A
1"	2.559
1 ½"	3.346
2"	4.330
2 ½"	5.314
3"	6.102
4"	7.677

Ordering information

EQ1011046

SS304	4
SS316	6
MATERIAL	

1"	100
1" - ½"	150
2"	200
2" - ½"	250
3"	300
4"	400
DIMENSION	



WELDED CAP 16W

SIZE	A
1"	2.559
1 ½"	3.346
2"	4.330
2 ½"	5.314
3"	6.102
4"	7.677


Ordering information

EQ1CP16W46

1"	0100
1" - ½"	0150
2"	0200
2" - ½"	0250
3"	0300
4"	0400
6"	0600
8"	0800
10"	1000
12"	1200
DIMENSION	

UNION BEVEL SEAT



Bevel Seat Union (ACME)

**BEVEL SEAT NUT 13H**

SIZE	A	B
1"	1.813	0.906
1 ½"	2.406	0.969
2"	3.000	1.063
2 ½"	3.594	1.188
3"	4.188	1.281
4"	5.438	1.500

BEVEL SEAT 15WF MALE FERRULE

SIZE	A	B
1"	0.688	1.000
1 ½"	0.719	1.500
2"	0.719	2.000
2 ½"	0.844	2.500
3"	0.906	3.000
4"	1.219	4.000

**BEVEL SEAT 14WF PLAIN FERRULE**

SIZE	A	B
1"	0.688	1.000
1 ½"	0.719	1.500
2"	0.719	2.000
2 ½"	0.844	2.500
3"	0.906	3.000
4"	1.219	4.000

Ordering information

EQ6009


SS304

Nut	
15WF Threaded	04
14WF Plain	64
	44
TYPE	


1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
DIMENSION	

The dimensions listed in the tables may differ from reality

UNION DIN



DIN Threaded Male Ferrule




DIN UNION

SIZE	B
DIN25	Rd52x1/6
DIN32	Rd58x1/6
DIN40	Rd65x1/6
DIN50	Rd78x1/6
DIN65	Rd95x1/6
DIN80	Rd110x1/4
DIN100	Rd130x1/4

SS304

DIN Stepped Liner Ferrule



Ordering information

EQ6000


Nut	14
Threaded Male	24
Stepped Liner	34
TYPE	

DN25	025
DN32	032
DN40	040
DN50	050
DN65	065
DN80	080
DN100	100


DIMENSION

The dimensions listed in the tables may differ from reality


UNION SMS



SMS Threaded Male Ferrule



SMS Stepped Liner Ferrule

**SMS UNION**

SIZE	B
25mm	Rd40x1/6
38mm	Rd60x1/6
51mm	Rd70x1/6
63mm	Rd85x1/6
76mm	Rd98x1/6
102mm	Rd132x1/6

SS304

Ordering information

EQ600

Nut	11
Threaded Male	12
Stepped Liner	14
TYPE	

4

SMS 25mm	25
SMS 38mm	38
SMS 51mm	51
SMS 63mm	63
SMS 76mm	76
SMS 102mm	102
DIMENSION	

The dimensions listed in the tables may differ from reality

FLANGE



SLIP-ON, THREADED AND BLIND FLANGE

SIZE	Outside Dia.	Thickness	No. of Holes	Dia. of Holes	Dia. of Bolts	Dia. Bolt Circle
1/2"	3.50	0.38	4	0.62	0.50	2.38
3/4"	3.88	0.44	4	0.62	0.50	2.75
1"	4.25	0.50	4	0.62	0.50	3.12
1 1/4"	4.62	0.56	4	0.62	0.50	3.50
1 1/2"	5.00	0.62	4	0.62	0.50	3.88
2"	6.00	0.69	4	0.75	0.62	4.75
2 1/2"	7.00	0.81	4	0.75	0.62	5.50
3"	7.50	0.88	4	0.75	0.62	6.00
4"	9.00	0.88	8	0.75	0.62	7.50


SS316

Ordering information

EQ0FL

Blind	BD1C6
Threaded	SO1C6
Slip-On	TH1C6
FLANGE TYPE	

1/2"	050
3/4"	075
1"	100
1-1/4"	150
1-1/2"	150
2"	200
2-1/2"	250
3"	300
4"	400
6"	600
DIMENSION	



WELDED NECK FLANGE 38W

SIZE	A	B	C	D	E	No. of Holes
1"	3.125	1.000	0.647	0.375	0.063	4
1 1/2"	3.875	1.500	0.647	0.375	0.063	4
2"	4.750	2.000	0.772	0.500	0.063	4
2 1/2"	5.500	2.500	0.772	0.500	0.063	4
3"	6.000	3.000	0.772	0.500	0.063	4
4"	7.500	4.000	0.772	0.500	0.083	8



SS316

Ordering information

EQ1FL38W6

1/2"	050
3/4"	075
1"	100
1-1/4"	150
1-1/2"	150
2"	200
2-1/2"	250
3"	300
4"	400
6"	600
DIMENSION	

ADAPTOR 19WB ADAPTOR 22WB


ADAPTOR 19WB TUBE X NPT(M)

TUBE SIZE	NPT	A	B
1"	¾	1.735	1.000
1"	1	1.752	1.000
1 ½"	1	1.766	1.500
1 ½"	1 ½	1.760	1.500
2"	1 ½	1.838	2.000
2"	2	1.812	2.000

ADAPTOR 22WB TUBE X NPT(F)

TUBE SIZE	NPT	A	B
1"	¾	1.750	1.000
1"	1	1.750	1.000
1 ½"	1	1.750	1.500
1 ½"	1 ½	1.750	1.500
2"	1 ½	1.813	2.000
2"	2	1.812	2.000

Ordering information

EQ6008

Adaptor 19WB	26
Adaptor 22WB	36
TYPE	



1" x ¾"	100075
1" x 1"	100100
1 ½" x 1"	150100
1 ½" x 1 ½"	150150
2" x 1 ½"	200150
2" x 2"	200200

DIMENSION

The dimensions listed in the tables may differ from reality



CLAMPED ELBOW



CLAMPED ELBOW 45° 2KMP

SIZE	L1	B	R
½"	0.966	1.000	¾
¾"	0.966	1.000	1 ⅛
1"	1.125	1.988	1 ½
1 ½"	1.437	1.988	2 ¼
2"	1.751	2.519	3
2 ½"	2.059	3.051	3 ¾
3"	2.375	3.582	4 ½
4"	3.125	4.685	6

CLAMPED ELBOW 90° 2CMP

SIZE	L1	B	R
½"	1 ⅝	1.000	¾
¾"	1 ⅝	1.000	1 ⅛
1"	2	1.988	1 ½
1 ½"	2 ¾	1.988	2 ¼
2"	3 ½	2.519	3
2 ½"	4 ¼	3.051	3 ¾
3"	5	3.582	4 ½
4"	6 ⅝	4.685	6
6"	9 ¾	6.574	9

Ordering information


45°	EQ1012033
90°	EQ1012030
ELBOW TYPE	

SS304	4
SS316	6
MATERIAL	

½"	050
¾"	075
1"	100
1-½"	150
2"	200
2-½"	250
3"	300
4"	400
6"	600
8"	800
DIMENSION	

The dimensions listed in the tables may differ from reality

CLAMPED ELBOW

**CLAMPED ELBOW 180° 2UMP**

SIZE	L1	B	R
1"	3.000	1.988	1 ½
1 ½"	4.500	1.988	2 ¼
2"	6.000	2.519	3
2 ½"	7.500	3.051	3 ¾
3"	9.000	3.582	4 ½
4"	12	4.685	6

SS316

Ordering information

EQ1012036




½"	050
¾"	075
1"	100
1-½"	150
2"	200
2-½"	250
3"	300
4"	400
6"	600
8"	800
DIMENSION	

The dimensions listed in the tables may differ from reality




CLAMPED TEE CLAMPED CROSS



CLAMPED TEE 7MP

SIZE	L1	B
½"	2.374	1.000
¾"	2.374	1.000
1"	2.374	1.988
1 ½"	2.750	1.988
2"	3.500	2.519
2 ½"	3.500	3.051
3"	3.751	3.582
4"	4.500	4.685
6"	5.875	6.574




CLAMPED CROSS 9MP

SIZE	L	B
1"	2.374	1.988
1 ½"	2.750	1.988
2"	3.500	2.519
2 ½"	3.500	3.051
3"	3.751	3.582
4"	4.500	4.685

CLAMPED END TEE SHORT OUTLET

SIZE	L1	L2	B
1"	2.374	1.000	1.988
1 ½"	2.750	1.250	1.988
2"	3.500	1.500	2.519
2 ½"	3.500	1.750	3.051
3"	3.751	2.000	3.582
4"	4.500	2.625	4.685



Ordering information



↑	
TEE CROSS TEE SHORT OUTLET	EQ1012037 EQ1012040 EQ1012027
FITTING	

↑	
SS304 SS316	4 6
MATERIAL	

↑	
½"	050
¾"	075
1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
6"	600
8"	800
DIMENSION	

The dimensions listed in the tables may differ from reality

CLAMPED REDUCER


CLAMPED CONCENTRIC REDUCER 31-14MP
CLAMPED EXCENTRIC REDUCER 32-14MP

SIZE	A	B	BA
0.75"/0.5"	2.000	1.000	1.000
1.0"/0.5"	2.000	1.988	1.000
1.0"/0.75"	2.000	1.988	1.000
1.5"/0.5"	3.000	1.988	1.000
1.5"/0.75"	3.000	1.988	1.000
1.5"/1.0"	3.000	1.988	1.988
2.0"/1.0"	5.000	2.519	1.988
2.0"/1.5"	3.000	2.519	1.988
2.5"/1.0"	7.000	3.051	1.988
2.5"/1.5"	5.000	3.051	1.988
2.5"/2.0"	3.000	3.051	2.519
3.0"/1.5"	7.000	3.582	1.988
3.0"/2.0"	5.000	3.582	2.519
3.0"/2.5"	3.000	3.582	3.051
4.0"/1.5"	11.125	4.685	1.988
4.0"/2.0"	9.125	4.685	2.519
4.0"/2.5"	7.125	4.685	3.051
4.0"/3.0"	5.125	4.685	3.582
6.0"/3.0"	6.875	6.625	3.582
6.0"/4.0"	6.875	6.625	4.685

Ordering information

CONCENTRIC	1RCTC
EXCENTRIC	1RETC
REDUCE TYPE	

SS304	4
SS316	6
MATERIAL	

0.75"/0.5"	075050
1.0"/0.5"	100050
1.0"/0.75"	100075
1.5"/0.5"	150050
1.5"/0.75"	150075
1.5"/1.0"	150100
2.0"/1.0"	200100
2.0"/1.5"	200150
2.5"/1.0"	250100
2.5"/1.5"	250150
2.5"/2.0"	250200
3.0"/1.5"	300150
3.0"/2.0"	300200
3.0"/2.5"	300250
4.0"/1.5"	400150
4.0"/2.0"	400200
4.0"/2.5"	400250
4.0"/3.0"	400300
6.0"/3.0"	600300
6.0"/4.0"	600400
DIMENSION	


The dimensions listed in the tables may differ from reality

CLAMPED TRUE-Y-TEE

**CLAMPED TRUE Y
28BMP**

SIZE	L1	L2
1/2"	2.500"	2.875"
3/4"	2.500"	2.875"
1"	2.500"	2.875"
1 1/2"	2.500"	2.938"
2"	3.125"	3.750"
2 1/2"	3.875"	4.625"
3"	4.500"	5.375"
4"	6.000"	7.185"

SS316




Ordering information

EQ10120456

1/2"	050
3/4"	075
1"	100
1 1/2"	150
2"	100
2 1/2"	150
3"	200
4"	250
6"	300
	400
	600
DIMENSION	


The dimensions listed in the tables may differ from reality

SHORT FERRULE LONG FERRULE



SHORT FERRULE C14X

SIZE	B	D	A
1/2"	1.000	1/2	1/2
3/4"	1.000	3/4	1/2
1"	1.988	1	1/2
1 1/2"	1.988	1 1/2	1/2
2"	2.519	2	1/2
2 1/2"	3.051	2 1/2	1/2
3"	3.582	3	1/2
4"	4.685	4	5/8
6"	6.575	6	7/8
8"	8.570	8	7/8
10"	10.570	10	7/8




LONG FERRULE C14AM7

SIZE	B	D	A
1/2"	1.000	1/2	1 1/8
3/4"	1.000	3/4	1 1/8
1"	1.988	1	1 1/8
1 1/2"	1.988	1 1/2	1 1/8
2"	2.519	2	1 1/8
2 1/2"	3.051	2 1/2	1 1/8
3"	3.582	3	1 1/8
4"	4.685	4	1 1/8
6"	6.575	6	1 1/8
8"	8.570	8	1 1/8
10"	10.570	10	1 1/8

The dimensions listed in the tables may differ from reality



EXTRA LONG FERRULE

**XLONG FERRULE**

SIZE	B	D	A
1"	1.988	1	4 ½
1 ½"	1.988	1 ½	4 ½
2"	2.519	2	4 ½
2 ½"	3.051	2 ½	4 ½
3"	3.582	3	4 ½
4"	4.685	4	4 ½
6"	6.575	6	4 ½
8"	8.570	8	4 ½
10"	10.570	10	4 ½

Ordering information


↑	
SHORT	EQ1031010W
LONG	EQ1031010A
XLONG	EQ1031010L
FERRULE TYPE	

↑	
SS304	4
SS316	6
MATERIAL	

↑	
1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
6"	600
8"	800
10"	1000
12"	1200
DIMENSION	



HEAVY DUTY FERRULE



SHORT FERRULE HEAVY DUTY C14-H

SIZE	B	E	D	A
1"	1.988	0.875	1.125	1 5/8
1 1/2"	1.988	1.400	1.676	1 5/8
2"	2.519	1.868	2.192	1 3/4
2 1/2"	3.051	2.368	2.708	1 3/4
3"	3.582	2.868	3.224	1 13/16
4"	4.685	3.832	4.256	2 1/8

LONG FERRULE HEAVY DUTY C14-HL

SIZE	B	E	D	A
1"	1.988	0.875	1.125	4
1 1/2"	1.988	1.400	1.676	4
2"	2.519	1.868	2.192	4
2 1/2"	3.051	2.368	2.708	4
3"	3.582	2.868	3.224	4
4"	4.685	3.832	4.256	4

Ordering information

SHORT LONG	EQ1030010 EQ1030010L
FERRULE TYPE	

SS304 SS316	4 6
MATERIAL	


1" 1 1/2" 2" 2 1/2" 3" 4"	100 150 200 250 300 400
DIMENSION	



END CAP

END CAP 16AQ-14Q

SIZE	B
¾"	1.000
1"	1.988
1 ½"	1.988
2"	2.519
2 ½"	3.051
3"	3.582
4"	4.685
6"	6.574
8"	8.570
10"	10.570
12"	12.570



Ordering information

EQ1032016

MATERIAL	
SS304	4
SS316	6

DIMENSION	
¾"	075
1"	150
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
6"	600
8"	800
10"	1000
12"	1200

The dimensions listed in the tables may differ from reality



Aciers inoxydables

EQUINOX inc.


Stainless steel



HOSE COUPLING

HOSE COUPLING

SIZE	A	B	D
$\frac{3}{4}" \times \frac{1}{4}"$	2.000	1.000	$\frac{1}{4}"$
$\frac{3}{4}" \times \frac{3}{8}"$	2.000	1.000	$\frac{3}{8}"$
$\frac{3}{4}" \times \frac{1}{2}"$	2.000	1.000	$\frac{1}{2}"$
$\frac{3}{4}" \times \frac{3}{4}"$	2.000	1.000	$\frac{3}{4}"$
$1 \frac{1}{2}" \times \frac{1}{8}"$	2.000	1.988	$\frac{1}{8}"$
$1 \frac{1}{2}" \times \frac{1}{4}"$	2.000	1.988	$\frac{1}{4}"$
$1 \frac{1}{2}" \times \frac{3}{8}"$	2.000	1.988	$\frac{3}{8}"$
$1 \frac{1}{2}" \times \frac{1}{2}"$	2.000	1.988	$\frac{1}{2}"$
$1 \frac{1}{2}" \times \frac{5}{8}"$	2.000	1.988	$\frac{5}{8}"$
$1 \frac{1}{2}" \times \frac{3}{4}"$	2.500	1.988	$\frac{3}{4}"$
$1" \times 1"$	3.000	1.988	1
$1 \frac{1}{2}" \times 1 \frac{1}{2}"$	3.000	1.988	$1 \frac{1}{2}"$
$2" \times \frac{1}{2}"$	3.000	2.516	$\frac{1}{2}"$
$2" \times \frac{3}{4}"$	3.000	2.516	$\frac{3}{4}"$
$2" \times 1"$	3.000	2.516	1
$2" \times 1 \frac{1}{2}"$	3.000	2.516	$1 \frac{1}{2}"$
$2" \times 2"$	3.500	2.516	2
$2 \frac{1}{2}" \times 2 \frac{1}{2}"$	3.500	3.051	$2 \frac{1}{2}"$
$3" \times 3"$	4.000	3.582	3
$4" \times 4"$	4.000	4.685	4
$6" \times 6"$	6.000	6.575	6



HOSE BARB



Ordering information

EQ11CH

SS304	4
SS316	6
MATERIAL	


$\frac{3}{4}" \times \frac{1}{4}"$	075025
$\frac{3}{4}" \times \frac{3}{8}"$	075038
$\frac{3}{4}" \times \frac{1}{2}"$	075050
$\frac{3}{4}" \times \frac{3}{4}"$	075075
$1 \frac{1}{2}" \times \frac{1}{8}"$	150012
$1 \frac{1}{2}" \times \frac{1}{4}"$	150025
$1 \frac{1}{2}" \times \frac{3}{8}"$	150038
$1 \frac{1}{2}" \times \frac{1}{2}"$	150050
$\frac{1}{2}" \times \frac{5}{8}"$	150058
$1 \frac{1}{2}" \times \frac{3}{4}"$	150075
$1" \times 1"$	100100
$1 \frac{1}{2}" \times 1 \frac{1}{2}"$	150150
$2" \times \frac{1}{2}"$	200050
$2" \times \frac{3}{4}"$	200075
$2" \times 1"$	200100
$2" \times 1 \frac{1}{2}"$	200150
$2" \times 2"$	200200
$2 \frac{1}{2}" \times 2 \frac{1}{2}"$	250250
$3" \times 3"$	300300
$4" \times 4"$	400400
$6" \times 6"$	600600
DIMENSION	



CLAMPS HOSES AND TUBES
FLEXIBLES ARE AVAILABLE

The dimensions listed in the tables may differ from reality

CLAMPED TO MALE NPT ADAPTOR



ADAPTOR TC X NPT MALE

SIZE	A	G NPT(M)
3/4" x 1/2"	1.000	1/2
1 1/2" x 3/8"	1.988	3/8
1 1/2" x 3/4"	1.988	3/4
1 1/2" x 1"	1.988	1
1 1/2" x 1 1/4"	1.988	1 1/4
1 1/2" x 1 1/2"	1.988	1 1/2
1 1/2" x 2"	1.988	2
2" x 1/2"	2.519	1/2
2" x 3/4"	2.519	3/4
2" x 1"	2.519	1
2" x 1 1/4"	2.519	1 1/4
2" x 1 1/2"	2.519	1 1/2
2" x 2"	2.519	2
3" x 3"	3.582	3

Ordering information

EQ1TCTM


SS304	4
SS316	6
MATERIAL	

3/4" x 1/2"	075050
1 1/2" x 3/8"	150038
1 1/2" x 3/4"	150075
1 1/2" x 1"	150100
1 1/2" x 1 1/4"	150125
1 1/2" x 1 1/2"	150150
1 1/2" x 2"	150200
2" x 1/2"	200050
2" x 3/4"	200075
2" x 1"	200100
2" x 1 1/4"	200125
2" x 1 1/2"	200150
2" x 2"	200200
3" x 3"	300300
DIMENSION	

The dimensions listed in the tables may differ from reality



CLAMPED TO FEMALE NPT ADAPTOR



ADAPTOR TC X NPT FEMALE

SIZE	A	G NPT(F)
3/4" x 1/2"	1.000	1/2
1 1/2" x 3/4"	1.988	3/4
1 1/2" x 1"	1.988	1
1 1/2" x 1 1/4"	1.988	1 1/4
1 1/2" x 1 1/2"	1.988	1 1/2
1 1/2" x 2"	1.988	2
2" x 1"	2.519	1
2" x 1 1/4"	2.519	1 1/4
2" x 1 1/2"	2.519	1 1/2
2" x 2"	2.519	2
3" x 3"	3.582	3

Ordering information

EQ1TCTF


SS304	4
SS316	6
MATERIAL	

3/4" x 1/2"	075050
1 1/2" x 3/4"	150075
1 1/2" x 1"	150100
1 1/2" x 1 1/4"	150125
1 1/2" x 1 1/2"	150150
2" x 1 1/2"	200150
2" x 2"	200200
3" x 3"	300300
DIMENSION	

The dimensions listed in the tables may differ from reality



HEAVY DUTY CLAMP

**CLAMP 13MMH SS304**

SIZE	ØB
½" & ¾"	1.125
1" & 1 ½"	2.122
2"	2.654
2 ½"	3.185
3"	3.717
3 ½"	4.299
4"	4.820
6"	6.695
8"	8.695
10"	10.695
12"	12.695

Ordering information

EQ10300194



½" & ¾"	075
1" & 1 ½"	150
2"	200
2 ½"	250
3"	300
3 ½"	350
4"	400
6"	600
8"	800
10"	1000
12"	1200

DIMENSION

The dimensions listed in the tables may differ from reality

SPARE NUT :


EQ103001841516



VALVES



BUTTERFLY VALVE



SS316

SIZE	O	B	KxK	A
1/2"	3.070	1.000	8.2x8.2	2.677
3/4"	3.070	1.000	8.2x8.2	2.677
1"	3.070	1.988	8.2x8.2	2.680
1 1/2"	3.149	1.988	8.2x8.2	2.690
2"	3.936	2.519	8.2x8.2	2.880
2 1/2"	4.530	3.051	10.0x10.0	2.838
3"	5.040	3.582	10.0x10.0	2.918
4"	6.299	4.685	10.0x10.0	3.543
6"	8.858	6.574	12.0x12.0	5.724
8"	11.220	8.543	14.0x14.0	5.960
10"	FOR MORE DETAILS CALL US			

INCLUDES EPDM SEAT
FOR OTHER GASKET MATERIALS SEE PAGE 62

Ordering information

EQ2042038

SS304	4
SS316	6
MATERIAL	

1/2"	050
3/4"	075
1"	100
1 1/2"	150
2"	200
2 1/2"	250
3"	300
4"	400
6"	600
8"	800
10"	1000
12"	1200
DIMENSION	

EPDM	S
SILICON	V
VITON	
GASKET	


The dimensions listed in the tables may differ from reality



CLAMPED BUTTERFLY VALVE WITH LOCK

SS316

SIZE	O	B	KxK	A
1/2"	3.070	1.000	8.2x8.2	2.677
3/4"	3.070	1.000	8.2x8.2	2.677
1"	3.070	1.988	8.2x8.2	2.680
1 1/2"	3.149	1.988	8.2x8.2	2.690
2"	3.936	2.519	8.2x8.2	2.880
2 1/2"	4.530	3.051	10.0x10.0	2.838
3"	5.040	3.582	10.0x10.0	2.918
4"	6.299	4.685	10.0x10.0	3.543
6"	8.858	6.574	12.0x12.0	5.724
8"	11.220	8.543	14.0x14.0	5.960
10"	FOR MORE DETAILS CALL US			



INCLUDES EPDM SEAT
FOR OTHER GASKET MATERIALS SEE PAGE 62

Ordering information

EQ20420276

1/2"	050
3/4"	075
1"	100
1 1/2"	150
2"	200
2 1/2"	250
3"	300
4"	400
6"	600
8"	800
10"	1000
12"	1200
DIMENSION	

The dimensions listed in the tables may differ from reality



BUTTERFLY VALVE MICROMETRIC




BUTTERFLY VALVE WITH ACTUATOR
ELECTRIC 24VDC

CLAMPED BUTTERFLY-TYPE BALL VALVE

**SS316**

SIZE	A	O	B	KxK
½"	2.762	2.522	1.000	8x8
¾"	2.762	2.522	1.000	8x8
1"	3.582	3.385	1.988	8x8
1 ½"	3.945	3.582	1.988	11x11
2"	4.170	4.520	2.519	11x11
2 ½"	4.920	5.780	2.519	11x11
3"	5.375	6.270	3.582	11x11
4"	FOR MORE DETAILS CALL US			



Ordering information

EQ2072006

SS304	4
SS316	6
MATERIAL	

¾"	075
1"	100
1 ½"	150
2"	200
4"	400
6"	600
8"	800
10"	1000
DIMENSION	

The dimensions listed in the tables may differ from reality



SPRING RETURN PNEUMATIC ACTUATOR

SPRING RETURN ACTUATOR CAN BE IN A NORMALLY OPEN OR NORMALLY CLOSED CONFIGURATION. IT CAN BE INSTALLED ON BUTTERFLY VALVES AND BUTTERFLY TYPE-BALL VALVES. VALVES ALREADY EQUIPED WITH A SPRING RETURN PNEUMATIC ACTUATOR ARE ALSO AVAILABLE.

FOR MORE INFORMATION ON THIS PRODUCT OR ORDERING INFORMATION, PLEASE CONTACT US.


EMAIL: INFO@EQUINOXSTAINLESS.COM

TEL: 1-877-537-5933



ALUMINUM DOUBLE-ACTING PNEUMATIC ACTUATOR


DOUBLE-ACTION ALUMINUM ACTUATORS CAN BE INSTALLED ON BUTTERFLY AND BALL VALVE TYPE-BUTTERFLY VALVES. VALVES ALREADY EQUIPPED WITH A SPRING RETURN PNEUMATIC ACTUATOR ARE ALSO AVAILABLE.



CLAMPED DIAPHRAGM VALVE

SS316

SIZE	A	B	C	H	< °
½"	4.212	1.988	0.804	3,375"/4,125"	60
¾"	4.566	1.988	0.920	3,375"/4,5"	60-65
1"	4.921	1.988	1.090	3,75"/4,875"	60-65
1 ½"	6.38	1.988	1.585	5,75"/7,25"	67.2
2"	7.48	2.519	2.150	6" / 7"	70
2 ½"	8.375	3.051	2.600	8, 5"/10"	70
3"	8.875	3.582	3.120	8,125"/10,75"	70



THE UNIQUE DESIGN OF EQUINOX FAST ACTION DIAPHRAGM VALVE MAKES IT RELIABLE AND USER FRIENDLY. VALVE CAN BE COMPLETELY OPEN OR CLOSED.



Ordering information

EQ20520076


½"	050
¾"	075
1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
DIMENSION	

The dimensions listed in the tables may differ from reality

CLAMPED DIAPHRAGM VALVE WITH PNEUMATIC ACTUATOR



INCLUDES A SILICON GASKET



SS316

SIZE	A	B	H	H1	DC
½"	4.212	1.000	6.153	3.858	2.499
¾"	4.566	1.000	6.299	3.858	2.499
1"	4.921	1.988	6.929	3.858	2.499
1 ½"	6.220	1.988	8.149	4.724	3.346
2"	7.480	2.519	8.385	4.724	3.346
2 ½"	8.375	3.125	11.500	4.724	3.346
3"	8.875	3.852	12	6.75	4.25


Ordering information

EQ2062008

½"	050
¾"	075
1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
DIMENSION	

The dimensions listed in the tables may differ from reality

QUICK DISMOUNTABLE BALL VALVE



SS316

SIZE	A	B	H	L
3/4"	3.543	1	2.559	4.133
1"	4.330	1.988	2.755	4.133
1 1/4"	4.724	1.988	3.149	5.118
1 1/2"	5.511	1.988	3.750	6.250
2"	6.456	2.519	3.840	6.299
2 1/4"	6.692	3.051	4.330	7.086
2 1/2"	7.086	3.051	4.330	7.086
3"	7.250	3.625	5.375	7.750

Ordering information

EQ20720086




3/4"	075
1"	100
1 1/2"	150
2"	200
2 1/4"	225
2 1/2"	250
3"	300
4"	400
6"	600

DIMENSION

The dimensions listed in the tables may differ from reality



CLAMPED 3-PIECES BALL VALVE



INCLUDES TEFLON SEAT

BALL VALVE 3-PIECES SS316

SIZE	A	B	H
1/2"	2.952	1.000	2.519
3/4"	3.543	1.000	2.637
1"	3.936	1.988	3.267
1 1/2"	5.500	1.988	4.500
2"	6.125	2.519	4.937
2 1/2"	7.480	3.051	5.905
3"	8.661	3.582	6.338

Ordering information

EQ20721076




1/2"	050
3/4"	075
1"	100
1 1/2"	150
2"	200
2 1/2"	250
3"	300
DIMENSION	

The dimensions listed in the tables may differ from reality



BALL VALVE FULL TEFLON

CLAMPED OVERFLOW VALVE (SAFETY)



SS316

SIZE	B	C	D	E
1 1/2"	2 7/8	1 1/2	1.988	9
2"	3 1/2	2	2.519	11 1/4

Ordering information

EQ20810016

1 1/2"	150
2"	200
DIMENSION	

SPRING FOR OVERFLOW VALVE


EQ20811014

1 1/2"	15	10-116	1	1 1/2"
2"	20	0-43	4	2"
		0-87	8	
DIMENSION		RELIEF PRESSURE (PSI)		DIMENSION


CLAMPED SAMPLE VALVE



CLAMPED: EQ21220026150				
SIZE	H	D2	B	L1
1 1/2"	3 1/2	1/2	1.988	2



NPT: EQ21230016038				
SIZE	H	D2	G	L1
3/8"	3 1/8	1/2	3/8 NPT	2
NPT: EQ21230016050				
1/2"	3 1/8	1/2	1/2 NPT	2



The dimensions listed in the tables may differ from reality



LEVEL GAUGE LOWER VALVE



LEVEL GAUGE UPPER VALVE




CLAMPED CHECK VALVE

**SS316**

SIZE	B	A
1/2"	1.000	3.769
3/4"	1.000	3.770
1"	1.988	3.850
1 1/2"	1.988	3.759
2"	2.519	4.062
2 1/2"	3.051	4.720
3"	3.582	4.937
4"	4.685	5.550

INCLUDES SILICON GASKET



Ordering information

EQ20520096

1/2"	050
3/4"	075
1"	100
1 1/2"	150
2"	200
2 1/2"	250
3"	300
4"	400
6"	600
DIMENSION	

The dimensions listed in the tables may differ from reality




Aciers inoxydables
EQUINOX inc.
Stainless steel

CLEANING BALLS



WELDED FIX CLEANING BALL



SS316

SIZE	A	Q
1"	3.740	2.480
1 ½"	4.330	2.992
2"	4.921	3.582
2 ½"	5.314	3.936

Technical parameter

SIZE	Pressure (PSI)	Cleaning Radius (Feet)	360°/180° Flow Rate (GPM)
1"	36.3	3' 3"-4' 1"	74.8/44.0
1 ¼"-1 ½"	36.3	4' 1"-5' 9"	101.3/74.8
2"	50.8	6' 6"-9' 9"	242.2/167.3
2 ½"	50.8	9' 9"-11' 6"	255.4/180.5


Ordering information

EQ31610086

1"	100	↑
1 ½"	150	
2"	200	
2 ½"	250	
DIMENSION		

The dimensions listed in the tables may differ from reality

THREADED ROTARY CLEANING BALL



SS316

SIZE	A	Q
3/8"	3.093	1.156
1/2"	4.406	1.562
1"	5.495	2.086
1 1/2"	5.393	2.086
2"	6.614	2.480
2 1/2"	7.480	2.992

Technical parameter			
SIZE	Pressure (PSI)	Cleaning Radius (Feet)	360°/180° Flow rate (GPM)
1"-1.5"	29.0	4' 1"	52.8
2"	29.0	4' 11"	167.3
2.5"	29.0	6' 6"	167.3

Ordering information

BOLTED THREADED	EQ31600026 EQ31630016	
BALL TYPE		


3/8"	037	
1/2"	050	
3/4"	075	
1"	100	
1 1/2"	150	
2"	200	
2 1/2"	250	
DIMENSION		

The dimensions listed in the tables may differ from reality





THREADED MULTI-ROTARY CLEANING BALL



SS316

SIZE	A	H	Pressure (PSI)	Cleaning Radius (FEET)	Flow Rate (GPM)
1"	4.645	6.889	21.8-29.0	6' 6"-9' 10"	101.3
1 ½"	5.590	7.873	26.1-36.3	8' 2"-9' 10"	167.3
2"	5.708	8.070	36.3-43.5	11' 6"-13' 1"	264.2

The dimensions listed in the tables may differ from reality

Ordering information

↑	
BOLTED THREADED	EQ31600106 EQ31630096
BALL TYPE	


↑	
½" 1 ½" 2"	100 150 200
DIMENSION	

Aciers inoxydables
EQUINOX_{inc.}
Stainless steel

FILTER
STRAINER
AND REBREATHER



FILTER HOUSING



SS316

SIZE	OD	H	H1	L
ONE CORE FILTER				
10"	200	300	150	360
30"	200	300	150	868
THREE CORES FILTER				
30"	200	300	150	880
FIVE CORES FILTER				
30"	210	335	150	880
SEVEN CORES FILTER				
30"	273	390	150	880

Ordering information

EQ300220

1

3

5

7

FILTER CORES

10"

30"

10

30

FILTER LENGTH

6

1 1/2"

2"

150

200

FERRULE

Filter cartridge: EQ30121

0.20um

002

0.45um

004

1.00um

010

5.00um

050

MICRONS

TEFLON

POLYETHERSULFON

POLYPROPYLENE

TF

PE

PP

MATERIAL

10"

30"

10

30

FILTER LENGTH

Micro filtration titanium cartridge:

EQ3011300

0.45um

4TI

5.00um

5TI

10"

20"

30"



10

20

30


FILTER LENGTH

The dimensions listed in the tables may differ from reality



Aciers inoxydables
EQUINOX inc.
Stainless steel

REBREATH



REBREATH CARTRIDGE FIT IN 1-1/2" AND 2" MODELS

SS316

SIZE	A	B
1"	7 1/16	1.988
1 1/2"	7 1/16	1.988
2"	7 1/16	2.519

Ordering information


EQ31320106

1"	100
1 1/2"	150
2"	200
FERRULE SIZE	

The dimensions listed in the tables may differ from reality



INLINE SIGHT GLASS



SS316

SIZE	A	B
1/2"	6.142	1.000
3/4"	6.142	1.000
1"	6.142	1.988
1 1/2"	6.299	1.988
2"	6.437	2.519
2 1/2"	6.629	3.051
3"	6.850	3.582
4"	7.638	4.685
6"	9.291	6.575



SIGHT GLASS DN AND
TEMPERED AVAILABLE

Ordering information

EQ314202206


1/2"	050
3/4"	075
2"	200
1"	100
1 1/2"	150
2"	200
3"	300
4"	400
6"	600
SIZE	

The dimensions listed in the tables may differ from reality

DIAPHRAGM PRESSURE GAUGE

SSS316 DIAPHRAGM

SIZE	B	D
1 ½"	1.988	2 ½
2"	2.519	2 ½
Glycerine Filled		



Ordering information

EQ5001

6

0-15 PSIG	015
0-30 PSIG	030
0-60 PSIG	060
0-100 PSIG	100
0-160 PSIG	160



PRESSURE RANGE

1/4"	025
FERRULE	

The dimensions listed in the tables may differ from reality



TUBE HANGER



SS304

SIZE	A	H
1/2"	3	1
1"	3 3/8	1 3/8
1 1/2"	3 1/2	2
2"	4 1/2	2 1/2
2 1/2"	4 3/4	2 3/4
3"	5 1/2	3 1/2
4"	6 3/4	4 1/4
6"	6 3/4	4 1/4
8"	6 3/4	4 1/4

Ordering information

EQ318001


Without Insert	34
PVC Insert	P4
MATERIAL	

1/2"	050
1"	100
1 1/2"	150
2"	200
2 1/2"	250
3"	300
4"	400
6"	600
8"	800
SIZE	

The dimensions listed in the tables may differ from reality



ELLIPTICAL MANHOLE



SIZE	H	L1	L2	T
430mmx330mm	100	430	330	10.0
535mmx435mm	100	535	435	10.0
635mmx525mm	100	635	525	10.0

Ordering information



EQ3150003					
SS304	4	430x330	1	100mm	2
SS316	6	535x435	2	RING HEIGHT	
MATERIAL		SIZE		GASKET	

The dimensions listed in the tables may differ from reality

PRESSURE CIRCULAR MANHOLE



PRESSURE CIRCULAR MANHOLE INCLUDES A SILICON GASKET
FOR MORE GASKETS MATERIALS SEE P.65



SIZE	H	D1	D2
Ø200	120	200	194
Ø220	120	220	214
Ø300	120	300	294
Ø350	120	350	344
Ø400	120	400	394
Ø430	120	430	424
Ø450	120	450	444
Ø500	120	500	494
Ø600	120	600	594
Ø765	120	765	759

Ordering information

EQ3150005

SS304	4
SS316	6
MATERIAL	


200mm	200
220mm	220
300mm	300
350mm	350
400mm	400
430mm	430
450mm	450
500mm	500
600mm	600
765mm	765
SIZE	



The dimensions listed in the tables may differ from reality

PRESSURE CIRCULAR MANHOLE WITHOUT PRESSURE

NO-PRESSURE CIRCULAR MANHOLE INCLUDES A SILICON GASKET
FOR MORE GASKETS MATERIALS SEE P.65



SIZE	H	D1	D2
Ø150	100	150	144
Ø200	100	200	194
Ø250	100	250	244
Ø300	100	300	294
Ø350	100	350	344
Ø400	100	400	394
Ø430	100	430	424
Ø450	100	450	444
Ø500	100	500	494
Ø600	100	600	594

Ordering information


EQ3150006

SS304	4
SS306	6
MATERIAL	

150mm	150
200mm	200
250mm	250
300mm	300
350mm	350
400mm	400
430mm	430
450mm	450
500mm	500
600mm	600
SIZE	

The dimensions listed in the tables may differ from reality

FLOOR DRAIN




SIZE	H	ØD1	ØD
4"	6	9	4 NPT

Ordering information

EQ3130011M4400



HEAVY DUTY FLOOR DRAIN



SIZE	A	ØD1	ØD
6"	12	9	6 NPT

EQ3130012SQ460


Dimension (A) can be modified according to your needs



GASKETS



CLAMPED GASKETS



SIZE	A	B
½"	0.425	1.000
¾"	0.650	1.000
1"	0.887	1.988
1 ½"	1.400	1.988
2"	1.868	2.519
2 ½"	2.368	3.051
3"	2.868	3.582
3 ½"	3.360	4.173
4"	3.832	4.685
6"	5.832	6.574
8"	7.832	8.570


The dimensions listed in the tables may differ from reality



Other material ordering information

EQ40MP			
BUNA	U	½"	050
EPDM	E	¾"	075
SILICON	S	1"	100
TEFLON	T	1 ½"	150
VITON	V	2"	200
MATERIAL		2 ½"	250
		3"	300
		3 ½"	350
		4"	400
		6"	600
		8"	800
		10"	1000
		12"	1200
		SIZE	

CLAMPED MESH SCREEN GASKETS



SIZE	A	B
1"	0.887	1.988
1 ½"	1.400	1.988
2"	1.868	2.519
2 ½"	2.368	3.051
3"	2.868	3.582
4"	3.832	4.685
6"	5.832	6.575
8"	7.832	8.570

Ordering information


EQ40MPS					
BUNA	U				
TEFLON	G				
EPDM	E				
VITON	V				
MATERIAL					
#4	M004				
#6	M006				
#10	M010				
#20	M020				
#30	M030				
#40	M040				
#60	M060				
#80	M080				
#100	M100				
MESH #					
1"	10				
1 ½"	15				
2"	20				
2 ½"	25				
3"	30				
4"	40				
6"	60				
8"	80				
SIZE					

MESH SCREEN IS MADE OF STAINLESS STEEL 316

CLAMPED ORIFICE PLATE GASKET



SIZE	A	B
1"	0.887	1.988
1 ½"	1.400	1.988
2"	1.868	2.519
2 ½"	2.368	3.051
3"	2.868	3.582
4"	3.832	4.685
6"	5.832	6.574
8"	7.832	8.570



ORIFICE SIZE: 1/8"

Ordering information

EQ40MPO



BUNA	U
EPDM	E
TEFLON	T
VITON	V
MATERIAL	

012




1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
6"	600
8"	800
SIZE	

The dimensions listed in the tables may differ from reality

BUTTERFLY VALVE GASKET

SIZE	VALVE SIZE
1"	¾"
1 ½"	1"
2"	1 ½"
2 ½"	2"
3"	3"
4"	4"
6"	6"
8"	8"
10"	10"



Ordering information

EQ2042028

EPDM	E
SILICON	S
VITON	V
MATERIAL	

¾"	075
1"	100
1 ½"	150
2"	200
2 ½"	250
3"	300
4"	400
6"	600
8"	800
SIZE	


The dimensions listed in the tables may differ from reality

GASKET DIN AND SMS

Ordering information

EQ4GSKTDINS		
DN25	025	↑
DN32	032	
DN40	040	
DN50	050	
DN65	065	
DN80	080	
DN100	100	
SIZE		

Silicon




SIZE	H	D1	D2
DN25	5	40	30
DN32	5	46	36
DN40	5	52	42
DN50	5	64	54
DN65	5	81	71
DN80	5	95	85
DN100	6	114	104

Ordering information


EQ4GSKTSMSS		
SMS25	025	↑
SMS38	038	
SMS51	051	
SMS63	063	
SMS76	076	
SMS102	102	
SIZE		

Silicon



SIZE	H	D1	D2
SMS25	5,5	32	25
SMS38	5,5	48	38
SMS51	5,5	61	51
SMS63	5,5	74	63
SMS76	5,5	86	76
SMS102	5,5	113	102

BEVEL SEAT GASKET



SIZE	OD	ID
1"	1.325"	0.900"
1 ½"	1.875"	1.375"
2"	2.375"	1.850"
2 ½"	2.950"	2.340"
3"	3.475"	2.875"
4"	4.500"	3.700"

Ordering information

EQ40BS

BUNA	B
TEFLON	T
EPDM	E
MATERIAL	

1"	0100
1 ½"	0150
2"	0200
2 ½"	0250
3"	0300
4"	0400
6"	0600
SIZE	

The dimensions listed in the tables may differ from reality



MANHOLE GASKET



Elliptical



Elliptical manhole gasket ordering information

EQ3150003			
EPDM	E		
SILICON	S		
MATERIAL			
		435mm x335mm	435
		535mm x435mm	535
		635mm x525mm	635
		MANHOLE SIZE	



With pressure



No-pressure



Circular manhole gasket ordering information

↑		↑		↑	
PRESSURE CIRCULAR	EQ3150005	EPDM	E	150mm	150
NO-PRESSURE CIRCULAR	EQ3150006	SILICON	S	200mm	200
		VITON	V	220mm	220
MANHOLE TYPE		MATERIAL		250mm	250
				300mm	300
				350mm	350
				400mm	400
				430mm	430
				450mm	450
				500mm	500
				600mm	600
				765mm	765
				SIZE	

CAM LOCK ADAPTORS



TYPE A
ADAPTOR FEMALE THREAD



TYPE B
COUPLER MALE THREAD



TYPE C
HOSE SHANK COUPLER



TYPE D
COUPLER FEMALE THREAD



TYPE E
HOSE SHANK ADAPTOR



TYPE F
ADAPTOR MALE THREAD



TYPE DC
DUST CAP



TYPE DP
DUST PLUG

PIPE FITTINGS



HALF COUPLING



FULL COUPLING



NIPPLE CLOSE



NIPPLE LONG



NIPPLE HEX



NIPPLE HOSE



CAP



SQUARE PLUG



ELBOW 45



ELBOW 90



TEE



COUPLING REDUCER



CROSS



STREET ELBOW



UNION



BUSHING REDUCER

STAINLESS STEEL TROLLEY



Stainless steel 304 Trolley.
Mirror finish.
Exterior dimension: Width: 30"
Length: 30.5" Height: 28":200L
Length:30.5"Height:28"37"300L


Ordering information

EQ7014		
SS304	4	200 LITRES
SS316	6	300 LITRES
MATERIAL		SIZE

STAINLESS STEEL PERFORATED TROLLEY



Stainless steel 304 perforated Trolley.
Mirror finish.
Exterior dimension: Width: 30"
Length: 30.5" Height: 28"



Ordering information

EQ7015		
SS304	4	200 LITRES
SS316	6	300 LITRES
MATERIAL		SIZE

STAINLESS STEEL SEALED BARREL

AVAILABLE DIMENSIONS: Ø22.5" X 27.5" HIGH. TOTAL: 170 LITERS
Ø22.5" X 31.5" HIGH. TOTAL: 220 LITERS
Ø22.5" X 34.5" HIGH. TOTAL: 220 LITERS



Ordering information

EQ7030			
SS304	4	170 LITRES	170
SS316	6	200 LITRES	200
MATERIAL		220 LITRES	220
		SIZE	



STAINLESS STEEL TABLE ON WHEELS



PROCESSING EQUIPMENTS

Kettles	73
Pumps	74
High Shear Mixing Pump	74
Emulsifier	74



STAINLESS STEEL KETTLE



FOR MORE INFORMATION ON THESE PRODUCTS, PLEASE CONTACT US

EMAIL: INFO@EQUINOXSTAINLESS.COM

TEL: 1-877-537-5933

OTHER AVAILABLE EQUIPMENTS

WEDGE WIRE SCREENS



PUMP



HIGH SHEAR MIXING PUMP



EMULSIFIER



CUSTOMIZED FABRICATION



CUSTOMIZED FABRICATION



SUPPLIED SERVICE MOBILE PASSIVATION UNIT



FOR A MORE RESISTANT TO CORROSION AND CLEANER EQUIPMENTS,
EQUINOX CAN DO A PASSIVATION ON SITE OR AT OUR SHOP.



Contact info
Tel: 450.437.5933 Toll free: 1.877.537.5933
email: info@equinoxstainless.com
www.equinoxstainless.com

